

The American Midland Naturalist

PUBLISHED BI-MONTHLY BY THE UNIVERSITY
OF NOTRE DAME, NOTRE DAME, INDIANA

VOL. V.

NOVEMBER 1918.

NO. 12.

ENUMERANTUR PLANTAE DAKOTAE SEPTEN- TRIONALIS VASCULARES.—XIV.

ENUMERAVIT J. LUNELL.

The Vascular Plants of North Dakota.—XIV.

With Notes by J. Lunell.

APPENDIX (*continued*).

All the following numbers previous to no. 1246 refer to certain plants recorded under the above heading in earlier issues of this journal and ought to be looked up.

Insert next after no. 4. *Cystopteris fragilis*:
THELYPTERIS Schmidel, Ic. Pl. & Am. Pavt. Manip., 1 sec. 1,
p. 45.

1246. *Thelypteris Dryopteris* (Linn.) Slosson, Rydb. Fl. R.
M. 1069. (1917).

Polypodium Dryopteris Linn. Sp. Pl. 1093. (1753).

In the sand hills near Anselm, Ransom Co. (O. A. Stevens).

41. *Alisma superbum*. Rydberg in Fl. R. M. 27. (1917)
considers this identical with *A. brevipes* Greene.

72. *Torresia Ruiz y Pavon*, Prodr. 125. (1794) has displaced
the older genus names *Hierochloe* and *Savastana* in the latest botanical
nomenclature.

98. *Deyeuxia americana* (Scribn.) Lunell. *Calamagrostis*
americana Scribn. in Rydb. & Shear U. S. Dept. Agr. Bull. Agrost.
V. 27. *C. hyperborea* Kearney, not Lange.

100. *Deyeuxia elongata* (Kearney) Lunell. *Calamagrostis*
elongata Rydb. Fl. R. M. 58 & 1060. (1917).

Insert next after no. 103, *Koeleria cristata*:

1247. *Koeleria gracilis* Pers. 1. c. Prairies.

DANTHONIA DC. Fl. France 3:22. (1805).

1248. *Danthonia spicata* Beauv.; R. & S. Syst. 2:690. (1817).
N. D. acc. to Britt. Man. (1901).
111. *Spartina pectinata* Bosc. ex Link, Jahrb. I. III. 92.
(1829.) Older name.
- Insert next before no. 123. *Daluca Hallii*:
1249. *Daluca campestris* (Rydb.) Lunell. *Festuca campestris* Rydb. Mem. N. Y. Bot. Gard. I:57. (1900), probably to replace no. 123.
124. *Distichlis stricta* (Torr.) Rydb. Bull Torr. Bot. Club 602 (1905). *D. spicata* Coulter & Nels., not Greene.
1250. *Paneion pratensisiforme* (Rydb.) Lunell *Poa pratensisiformis* Rydb. Fl. R. M. 79. (p. 1060) 1917. *P. pseudopratensis* Scribn. & Rydb Contr. U. S. Nat. Herb. 3:531 1896. not *P. pseudopratensis* Beyer 1891. Leeds.
144. Replaced in Rydb. Fl. R. M. 84. (1917) by *Puccinellia Nuttalliana* (Schultes) Hitchc.
1252. *Zeia Griffithsii* (Scribn & Sm.) Lunell *Agropyron Griffithsii* Scribn & Sm. ex Piper Proc. Biol. Soc. Wash. XVIII. 148. N. D. acc. to Rydb. Fl. R. M. (1917).
182. *Terrellia curvata* (Piper) Lunell. *Elymus curvatus* in Bull. Torr. Bot. Club 233. (1903).
1253. *Cyperus diandrus* Torr. Cat. Pl. N. Y. 99. (1879). In the sand hills near Anselm, Ransom Co. (O. A. Stevens).
194. *Eleocharis monticola laeviseta* Fern. reinstated in Rydb. Fl. R. M. 106. (1917).
207. *Scirpus paludosus* A. Nels. Bull. Torr. Bot. Club. 26:5. (1899). Vide Rydb. Fl. R. M. 110. (1917).
214. *Carex praegracilis* W. Boott in Coulter. Bot. Gaz. IX:87. (1884) to replace this name.
1254. *Carex moniliformis* Britton in Geol. Survey N. Jersey II:278. (1889). N. D. acc. to Britt. Man. (1901).
1255. *Carex pubescens* Muhl.; Willd. Sp. Pl. 4:221. (1806). N. D. acc. to Britt. Man. (1901).
1256. *Carex tribuloides* Wahl. Kongl. Vet. Akad. Handl. (II.) 24:145. (1803). N. D. acc. to Britt. Man. (1901).
276. *Allium textile* Nels. & Macb. Bot. Gaz. 56:470. (1913). *A. reticulatum* Fraser, not Presl.
1257. *Bermudiana campestris* (Bicknell) Lunell. *Sisyrinchium campestre* Bickn. in Bull Torr. Bot. Club 300. (1899).

N. D. acc. to Britt. Man. 1901, Gray Man. 1908 and Rydb. Fl. R. M. 1917.

298. *Limnorchis viridiflora* (Cham) Rydb. Torr. Bot. Club 28:616. (1901). *Habenaria hyperborea* Coul., not R. Br.

1258. *Ulmus fulva* Michx. Fl. Bor. Am. I:173. (1803), acc. to Britt. Man. 1901.

348. *Lapathum maritimum* (Linn.) Lunell. *Rumex maritimus* Linn. Sp. Pl. 335. (1753). f. *R. persicarioides* Am. Authors, not Linn.

1259. *Polygonum buxiforme* Small in Bull. Torr. Bot. Club XXXIII:56. (1906) Leeds.

1260. *Polygonum neglectum* Besser, Enum. Pl. Volh. 45. Leeds.

1261. *Polygonum sawatchense* Small, Bull. Torr. Bot. Club XX:213. (1893). Leeds.

1262. *Polygonum achoreum* S. F. Blake in Rhodora XIX:232. (1917). Leeds, Towner.

1263. *Chenopodium desiccatum* A. Nels. Bot. Gaz. 34:362. (1902). Towner.

1264. *Atriplex confertifolia* (Torr.) Wats. Proc. Am. Acad. 9:119. (1874). Medora.

1265. *Corispermum nitidum* Kit. et Schult. Oestr. Fl. ed. 2, I:7. (1814). Sheyenne River.

407. *Acnida altissima* Riddell ex Moq. in DC. Prodr. XIII: 2. 277.

1266. *Allionia diffusa* Heller, Minn. Bot. Stud. 2:33. (1898) N. D. acc. to Rydb. Fl. R. M. 1917.

SAPONARIA Linn. Sp. Pl. 408. (1753).

1267. *Saponaria officinalis* Linn. l. c. Leeds. Escape in old gardens.

Insert before 468, *Clematis virginiana*:

1268. *Clematis ligusticifolia* Nutt; T. & G. Fl. N. A. I:9. (1838). West of the 100th mer.

477. *Plectrnornis virescens* (Nutt.) Lunell. *Delphinium virescens* Nutt. Gen. 2:14. (1818).

502. *Lesquerella arenosa* (Richards.) Rydb. in Bull. Torr. Bot. Club 236. (1902.)

503. *Physaria brassicoides* Rydb. in Bull. Torr. Bot. Club 279. (1901).

523. *Turritis ovata* Pursh Fl. Am. Sept. 11:436. (1814).

Arabis ovata (Pursh) Poir. Encycl. Suppl. V:587. *A. hirsuta* Hook., not Scop.

1269. *Turritis Drummondii* (A. Gray) Lunell *Arabis Drummondii* A. Gray, Proc. Am. Acad. VI:187. Gray Man. V:69. *A. confinis* Wats. Proc. Am. Acad. XXII:466. Devils Lake.

524. *T. Drummondii* var. *brachycarpa* (Gray Man. V:69). *A. confinis* var. *brachycarpa* Wats. & Coulter in Gray Man. VI:67. This does not grow at Devils Lake, but is reported from other parts of the state. *A. dakotica* Greene is another relative unknown to us.

Insert after no. 529, *Brassica campestris*:

1270. *Brassica juncea* (Linn.) Corson, Bull. Soc. Bot. France 6:609, (1859).

Sinapis juncea Linn. Sp. Pl. 668. (1753). Leeds.

STANLEYA Nutt. Gen. 2:71. (1918).

1271. *Stanleya pinnata* (Pursh) Britt. Trans. N. Y. Acad. Sci. 8:62, (1888). Dakota acc. to Nels. Man. 1909.

1272. *Stanleya glauca* Rydb. Bull. Torr. Bot. Club 236. (1902). N. D. acc. to Rydb. Fl. R. M. 1917.

Insert after no. 136, *Peritoma serrulatum*:

1273. *Peritoma serrulatum* var. *clavatum* Lunell, var nov. Siliquae crassae, clavatae, turgidae, Petala integra neque 3-dentata.

Pods thick, swelled, clavate, Petals entire, not 3-toothed. York, Aug. 9, and Sept. 2. 1918.

Insert after no. 540. *Parnassia palustris*:

1274. *Parnassia montanensis* Fern. & Rydb. in N. Amer. Fl. XXII:79. (1908).

Some of our plants no doubt belong here, while others exhibit characters of both this species and *P. palustris*,

Insert next after no. 551, *Pentaphyllum concinnum*:

1275. *Pentaphyllum divisum* (Rydb.) Lunell. *Potentilla divisa* Rydb. Fl. R. M. 416. (1917).

Potentilla concinna divisa Rydb. Bull. Torr. Bot. Club 23:431. Leeds.

1276. *Potentilla camporum* Rydb. in N. Am. Fl. XXII:319. (1908). Butte.

572. *Chamaerhodos Nuttallii* Pickering ex Rydb. in N. Am. Fl. XXII:377. (1908). *C. erecta* Hook, not Bunge.

Insert next before no. 585, *Eupatorium Brittonianum*:

1277. *Eupatorium gryposepalum* (Wallr.) Lunell. *Agrimonia gryposepala* Wallr. Beitr. Bot. I:49. (1840). *A. hirsuta* Bickn. Bull. Torr. Bot. Club 23:509. (1896). Turtle Mountains.

583. *Rubus pubescens* Raf. in Med. Repos. N. Y. Sec. III:11. 333. (1811).

1278. *Rosa alcea* Greene, Leaflets II:63. (1910). Devils Lake.

1279. *Rosa Engelmanni* S. Wats. Gard. & For. 2:376. (1889). N. D. acc. to Rydb. Fl. R. M. 1917.

1280. *Rosa Woodsii* Lindl. Mon. Ros. 21. (1820). N. D. acc. to Rydb. Fl. R. M. 1917.

Insert next before 598; *Amelanchier macrocarpa*:

1281. *Amelanchier leptodendron* Lunell, sp. nov.

ANALYTICAL KEY.

Leaves ovate or obovate, at least in the young leaves acute at both ends; racemes and petals small; a tree.....*A. leptodendron*

Leaves oblong with rounded apex and rounded or subcordate base; racemes and petals large; a shrub.....*A. macrocarpa*

Arbor teres, 3-5 m. alta, cortice plano cinereo, ramulis canis vel rubrofuscis. Folia matura perviridia, utrinque glabra, firma, ovata—obovata, circumferentia basin versus plerumque angustata, magis minusve acuta vel cuneiformis, apice acuto, margine dimidio superiore irregulari-dentato. Florum racemi 2-3 cm. longi, pedicelli 0.5—1cm. longi, sepala triangulari-lanceolata vel latiora, petala spathulata, 5-6 mm. longa. Racemi pomiferi 5cm. longi. Pomum parvum, 5mm. diametro. Gemmae hiemales pubescentes.

A slender tree (scarcely appearing as a brush, as I have been unable to discover any branching-out from the ground), 3-5m. high, with smooth, ashy gray bark and gray or reddish twigs. Leaves after maturity bright green, glabrous on both sides, firm, ovate—obovate, the proportions varying in centimeters 7.6, 7.5.5, 6.4.5, 6.4, 5.4, 5.3, 4.5.4, 4.5.3, and 4.3, the outline generally becoming narrowed or more or less acute or cuneiform toward the base, with an acute apex at least in young leaves (a rounded or notched apex often caused by some injury to the top), and an irregular dentation of the margin from the middle to the apex. Besides, mature leaves present quite variable outlines. Flowering racemes 2-3 cm. long, pedicels 0.5—1cm. long; sepals triangular-lanceolate or broader; petals spathulate, 5-6mm. long. Fruiting raceme 5cm. long. Pome small, 5mm. in diameter (but only one seen). Winter buds pubescent.

Apt to be found on hillsides covered with a dense wooded vegetation. The type was collected by the writer on May 15 and Sept. 3, 1918 in the Turtle Mountains of Rolette Co.

Insert after no. 599, *Oxyacantha chrysocarpa*:

1282. *Oxyacantha mollis* (T. & G.) Lunell. *Crataegus mollis*

(T & G.) Scheele, Linnaea, 21:569. (1848.) Fargo (O. A. Stevens).

1283. *Oxyacantha succulenta* (Schrad.) Lunell. *Crataegus succulenta* Schrad. Turtle Mountains.

1284. *Oxyacantha Howellii* (Heiser) Lunell. *Crataegus Howellii* Heiser, nom. nov. *Crataegus columbiana* Howell Fl. N. W. Amer. 163. (1903), not *C. columbiana* Sargent in Coulter. Bot. Gaz. XXXI:229. (1901). Sargent's plant is from Columbia, Texas. *O. Howellii* grows in N. D. acc. to Rydb. Fl. R. M. 450. (1917).

607. *Amorpha angustifolia* (Pursh) Boynton in Biltmore Bot. Studies 1:139. *A. fruticosa* Coulter, not L.

657. *Aragallus angustatus* Rydb. Bull. Torr. Bot. Club 34:421-4. (1907) is declared in Fl. R. M. 521. (1917) to be a synonym antedating my plant, which Dr. Nelson in 1908 acknowledged as a valid new species. In his manual of 1909 he made *A. angustatus* a synonym of *A. Lamberti*. It is probable that none but perhaps Dr. Rydberg has seen both species.

1242. *Hedysarum cinerascens* Rydb. Mem. N. Y. Bot. Gar. I:257. (1900).

1285. *Linum pratense* (Norton) Small in N. Am. Fl. XXV:69. (1907). Our plant seems to belong here, not to *L. Lewisii*. Leeds, York.

Insert before no 602, *Nezera sulcata*:

ANALYTICAL KEY.

Perennial, branched from the base, fruiting pedicels 4-6 mm.
long *N. compacta*.

Annual, simple or branched above, fruiting pedicels 2-3 mm
long *N. sulcata*

1286. ***Nezera compacta* (A. Nels.) Lunell.** *Linum compactum* A. Nels. in Bull. Torr. Bot. Club 31:241. (1904). Leeds, York.

Insert after no. 707, *Celastrus scandens*:

1287. ***Euonymus atropurpureus* Jacq.** Hort. Vind. 2:5, pl. 120. (1772).

In the sandhills near Anselm, Ransom Co. (O. A. Stevens).

Insert next after 736, *Lophion Rydbergii*:

1288. ***Lophion rugulosum* (Greene) Lunell.** *Viola rugulosa* Greene, Pittonia V:26 (1887). Nearly related to *L. Rydbergii* and perhaps within our area.

Insert next after no. 740, *Nuttallia decapetala*:

1289. ***Mentzelia oligosperma* Nutt.**; T. & G. Fl. N. A. I:533. (840). N. D. acc. to Rydb. Fl. R. M. 574. (1917).

744. *Elaeagnus commutata* Beruh, in Allg. Thuer. Gartenz II:137. (1843).

Insert next before no. 762: *Epilobium adenocaulon*:

1290. *Epilobium americanum* Haussk. in Oestr. Bot. Zeitschr. XXIX:118. (1879).

Epilobium adenocaulon perplexans Rydb. scarcely Trelease. York.

1291. *Cogswellia montana* (C. & R.) Jones. Contr. West. Bot. 12:34. (1908). N. D. acc. to Rydb. Fl. R. M. 626.

1292. *Cogswellia macrocarpa* (Nutt.) Jones l. c. 33. Dunsieith.

Insert before no. 790, *Ossea instolonea*:

1293. *Ossea interior* (Rydb.) Lunell. *Svida interior* Rydb. in Bull. Torr. Bot. Club 572. (1904). Turtle Mountains.

1294. *Meadia salina* (A. Nels.) Lunell *Dodecatheon salinum* A. Nels. Bull. Torr. Bot Club 28:227. (1901). White Earth.

814. *Anthopogon tonsus* (Lunell) Rydb. in Fl. R. M. 659. (1917).

Insert next after no. 817, *Amarella acuta*:

1295. *Amarella scopulorum* Greene. Leaflets I:55. (1904) Under this name no doubt ought to be known the plant from Pleasant Lake referred to under no. 817. Under the latter number I would refer to a species found by me in the Turtle Mountains, as it resembles closely specimens in my herbarium collected by Prof. Fernald in Maine.

MENYANTHES Linn. Sp. Pl. 145. (1753)

1296. *Menyanthes trifoliata* Linn. l. c. In the sandhills of Anselm, Ransom Co. (O. A. Stevens).

Insert next after no. 846, *Fonna Hoodii*:

1297. *Fonna andicola* (Britton) Lunell. *Phlox andicola* (Britt.) E. Nels. Rev. W. N. A. Phloxes II. (1899). *Phlox Douglasii andicola* Britt. Mem. Torr. Bot. Club 5:269. 1894.

Specimens with calyx tube 2mm. and its teeth 3mm., corolla tube 8mm. (thus being 3mm longer than the entire calyx), limb of corolla 10-14mm. wide. We place them here with hesitation, as they have not the erect, white stems of *P. andicola*. Leeds.

854. *Heliotropium spathulatum* Rydb. Bull. Torr. Bot. Club 30:262. (1908). *H. curassavicum* Hook, not L.

1298. *Oreocarya perennis* (A. Nels.) Rydb. *O. affinis perennis* A. Nels. Erythea 7:67. (1899). N. D. acc. to Rydb. Fl. R. M. 722. Perhaps a better name for our no. 861.

1299. *Amsinckia intermedia* F. & M.; DC. Prodr. X:117.
 Gray, Bot. Calif. 1.525. Rugby (O. A. Stevens).
 884. *Dracocephalum Nuttallii* Britton.
 895. *Mentha glabrior* (Hook.) Rydberg.
 1300. *Scrophularia dakotana* Lunell, sp. nov.

ANALYTICAL KEY.

- A. Leaf-blades hastately lobed at the base.
 B. Branches of the inflorescence densely glandular-puberulent; upper lip of the corolla much shorter than the tube....*S. occidentalis*
 A. Leaf-blades not hastately lobed at the base.
 B. Branches of the inflorescence densely glandular-puberulent; upper lip of the corolla only slightly shorter than the tube.....2. *S. dakotana*
 B. Branches of the inflorescence sparingly glandular-puberulent; upper lip of the corolla as long as the tube.....3. *S. leporella*
 Caulis perennis, robustus, quadrangularis, $\frac{1}{2}$ -2m. altus, inflorescentia glandulari-puberulenta. Foliae lanceolatae vel ovata, bis serrata, acuta, basi rotundata vel ordata neque hastate lobata, nervis subtus puberulentis, praeterea glabra, 5-15cm. longa, 7 petiolis 1-2 cm. longis. Calyx 3mm altus, lobis 1-5mm altis. Corolla purpureo-flavo-viridis, 11mm. alta; tubus 6mm. altus, calice duplo longior; labia gemina superiora 5mm. longa, erect, oblonga; labia gemina lateralia erecta, inferius reflexum, 3mm. longua. Stamen sterile glabrum, obscure viride, squama ovata obscure viridi latiore quam longa ornatum. Capsula 3-7mm. longa, basi ovata conica.

Stem perennial, stout, square-angled, $\frac{1}{2}$ -2m. high, glandular-puberulent in the inflorescence. Leaves broadly lanceolate or ovate, doubly serrate, acute, the base rounded or, in the larger leaves, cordate, not hastately lobed at the base, puberulent on the nerves beneath, else glabrous, 5-15 cm. long, on petioles 1-2 cm. long. The entire calyx 3mm. high, its lobes 1.5 mm. high. Corolla purplish-yellowish-green, 11mm. high; its tube 6mm. high, twice as long as the calyx; its 2 upper lips 5mm long, erect, oblong, its 2 lateral or lips erect, the lower one reflexed, 3mm. long. Sterile stamen glabrous, dark green with a dark green ovoid scale, which is broader than long, Capsule 3-7mm. long, conical with an ovoid base.

Growing in high ground on prairies. Collected by the writer at Leeds, Benson Co.

1301. *Pentatemon glaber* Pursh, Fl. Am. Sept. 2:738. (1814).
 N. D. acc. to Rydb. Fl. R. M. 769.
 1302. *Agoseris scorzoneraefolia* Greene, Pittonia 2:177. (1891). Butte, Minnewaukan.
 997. *Ambrosia elatior* Linn. *A. artemisiaefolia* a. Gray, not Linn.
 1007. *Vernonia corymbosa* Schwein. *V. fasciculata* Coulter, not Michx.

1303. *Lacinaria punctata* (Hook.) Kuntze, var. *turgida*, Lunell, var. nov.

Terminal head many times larger than the other heads. Leeds, Sept. 2, 1918.

1304. *Lacinaria scariosa* (Linn.) Hill, var. *inconcinna* var. nov. Several lower leaves are shorter than the next upper ones in the series. Leeds, August 27, 1918.

Insert after no. 1041, *Chrysopsis Bakeri*:

1305. *Chrysopsis hirsutissima* Greene, Pittonia 4:153. (1900). N. D. acc. to Rydb. Fl. R. M. 851. (1917).

Insert after no. 1075, *Aster puniceus*:

1306. *Aster Forwoodii* S. Wats. Turtle Mountains.

1125. *Doellingeria pubens* (A. Gray) Rybd. in Bull. Torr. Bot Club XXXVII:147. (1910).

FILAGO Linn. Sp. Pl. 927. (1753).

1307. *Filago prolifera* (Nutt.) Britt. Mem. Torr. Bot. Club V:329. (1894), acc. to Nelson's Man. 1909.

1308. *Silphium laciniatum* Linn. Sp. Pl. 919. (1753). N. D. acc. to Gray Man. VII.

1155. *Coreopsis Atkinsoniana* Dougl., Lindl. Bot. Reg. t. 379. 1164. Pursh, Fl. Am. Sept. 2:742. (1814). *Hymenopappus tenuifolius*.

1166. *Tetraneuris acaulis* (Pursh) Greene, Pittonia III:265, (1898). *Actinella acaulis* (Pursh).

1309. *Artemisia Bourgeauana* Rydb. in Bull. Torr. Bot. Club XXXVII:454. (1910). N. D. acc. to Rydb. Fl. R. M. 966. (1917).

1197. *Arnica pedunculata* Rydb. Bull. Torr. Bot. Club 24:297. (1897). Dickinson.

1310. *Arnica pedunculata* var. *monocephala* (Rydb.) Lunell, var. nov.

Arnica monocephala Rydb. Mem. N. Y. Bot. Gard. I:435. (1900). Dunsieith.

1203. Without having access to the types Dr. Greene referred this plant to *S. Purshianus* for geographical reasons. Later Dr. Greenman compared it with the types of both *S. Purshianus* and *S. canus* and decided in favor of the latter. Vide no. 1311 also.

1311. *Senecio canus* var. *eradiatus* var. nov. Heads discoid. Butte, Benson Co., not infrequent among related plants.

Leeds, North Dakota.

Birds Found in Northern Indiana and Southern Michigan

BY BROTHER ALPHONSUS, C. S. C.

The species of birds in this list were seen by the writer in the period between March, 1905, and September, 1918. That the number of species is not larger is due to the scarcity of water and shore birds in the places where the writer has done his observing. Other observers in localities where there are marshes can easily find two hundred species of birds. In this list there are omissions of certain species that were published by the writer in previous articles in the *American Midland Naturalist*. These omissions were made because the records of the species were afterwards found to be erroneous. Any species, then, not included in the present list are not vouched for by the writer as having been reliably recorded.

1. Bittern	<i>Botaurus lentiginosus</i>
2. Blackbird, Red-winged	<i>Agelaius phoeniceus</i>
3. Blackbird, Rusty	<i>Scolecophagus carolinus</i>
4. Bluebird	<i>Sialia sialis</i>
5. Bobolink	<i>Dolichonyx oryzivorus</i>
6. Bobwhite	<i>Colinus virginianus</i>
7. Canvasback	<i>Aythya valisneria</i>
8. Cardinal	<i>Cardinalis virginianus</i>
9. Catbird	<i>Galeoscoptes carolinensis</i>
10. Cedarbird	<i>Ampelis cedrorum</i>
11. Chat, Yellow-breasted	<i>Icteria virens</i>
12. Chickadee	<i>Parus atricapillus</i>
13. Coot	<i>Fulica americana</i>
14. Cowbird	<i>Molothrus ater</i>
15. Creeper, Brown	<i>Certhia familiaris americana</i>
16. Crow	<i>Corvus americanus</i>
17. Cuckoo, Black-billed	<i>Coccyzus erythrophthalmus</i>
18. Cuckoo, Yellow-billed	<i>Coccyzus americanus</i>
19. Dickcissel	<i>Spiza americana</i>
20. Dove, Mourning	<i>Columbigallina pectorina terrestris</i>
21. Duck, Scaup	<i>Aythya marila nearctica</i>
22. Finch, Purple	<i>Carpodacus purpureus</i>
23. Flicker	<i>Colaptes auratus</i>

24. Flycatcher, Acadian	<i>Empidonax virescens</i>
25. Flycatcher, Alder	<i>Empidonax traili alnorum</i>
26. Flycatcher, Crested	<i>Myiarchus crinitus</i>
27. Flycatcher, Least	<i>Empidonax minimus</i>
28. Flycatcher, Yellow-bellied	<i>Empidonax flaviventris</i>
29. Gnatcatcher, Blue-gray	<i>Polioptila caerulea</i>
30. Goldfinch	<i>Spinus tristis</i>
31. Goose, Canada	<i>Branta canadensis</i>
32. Grackle, Bronzed	<i>Quiscalus quiscula aeneus</i>
33. Grebe, Pied-billed	<i>Podilymbus podiceps</i>
34. Grosbeak, Evening	<i>Coccothraustes vespertinus</i>
35. Grosbeak, Pine	<i>Pinicola enucleator</i>
36. Grosbeak, Rose-breasted	<i>Habia ludoviciana</i>
37. Grouse, Ruffed	<i>Bonasa umbellus</i>
38. Gull, Herring,	<i>Larus argentatus smithsonianus</i>
39. Gull, Franklin's,	<i>Larus franklini</i>
40. Gull, Bonaparte's,	<i>Larus philadelphia</i>
41. Hawk, Red-shouldered	<i>Buteo lineatus</i>
42. Hawk, Red-tailed,	<i>Buteo borealis</i>
43. Hawk, Fish,	<i>Pandion haliaetus carolinensis</i>
44. Hawk, Sparrow,	<i>Falco sparverius</i>
45. Heron, Great Blue,	<i>Ardea herodias</i>
46. Heron, Little Green,	<i>Ardea virescens</i>
47. Hummingbird,	<i>Trochilus colubris</i>
48. Indigo Bird.	<i>Passerina cyanea</i>
49. Jay, Blue,	<i>Cyanocitta cristata</i>
50. Junco, Montana,	<i>Junco hyemalis montanus</i>
51. Junco, State-colored,	<i>Junco hyemalis</i>
52. Killdeer,	<i>Aegialitis vocifera</i>
53. Kingbird,	<i>Tyrannus carolinensis</i>
54. Kingfisher, Belted,	<i>Ceryle alcyon</i>
55. Kinglet, Ruby-crowned,	<i>Regulus calendula</i>
56. Kinglet, Golden-crowned,	<i>Regulus satrapa</i>
57. Lark, Prairie Hornehead	<i>Octocoris alpestris</i>
58. Loon,	<i>Urinator imber</i>

59.	Mallard,	<i>Anas boschas</i>
60.	Martin, Purple,	<i>Progne subis</i>
61.	Meadowlark,	<i>Sturnella magna</i>
62.	Merganser, Hooded,	<i>Lophodytes cucullatus</i>
63.	Night Hawk,	<i>Chordeiles virginianus</i>
64.	Nuthatch, Red-breasted,	<i>Sitta canadensis</i>
65.	Nuthatch, White-breasted,	<i>Sitta carolinensis</i>
66.	Oriole, Baltimore	<i>Icterus galbula</i>
67.	Oriole, Bullock's	<i>Icterus bullocki</i>
68.	Oriole, Orchard,	<i>Icterus spurius</i>
69.	Oven-bird,	<i>Seiurus aurocapillus</i>
70.	Owl, Screech,	<i>Megascops asio</i>
71.	Pewee, Wood,	<i>Contopus virens</i>
72.	Phoebe,	<i>Sayornis phoebe</i>
73.	Plover, Upland,	<i>Bartramia longicauda</i>
74.	Rail, Carolina,	<i>Porzana carolina</i>
75.	Rail, King,	<i>Rallus elegans</i>
76.	Redpoll,	<i>Acanthis linaria</i>
77.	Robin,	<i>Merula migratoria</i>
78.	Sandpiper, Spotted,	<i>Actitis macularia</i>
79.	Sandpiper, Solitary,	<i>Totanus solitarius</i>
80.	Sapsucker, Yellow-bellied,	<i>Sphyrapicus varius</i>
81.	Shrike, Loggerhead,	<i>Lanius ludovicianus</i>
82.	Shrike, Northern,	<i>Lanius borealis</i>
83.	Siskin, Pine,	<i>Spinus pinus</i>
84.	Snipe, Wilson,	<i>Gallinago delicata</i>
85.	Snowflake,	<i>Plectrophenax nivales</i>
86.	Sparrow, chipping,	<i>Spizella socialis</i>
87.	Sparrow, Field,	<i>Spizella pusilla</i>
88.	Sparrow, Fox,	<i>Passerella iliaca</i>
89.	Sparrow, Grasshopper,	<i>Ammodramus savannarum passerinus</i>
90.	Sparrow, Henslow,	<i>Ammodramus henslowii</i>
91.	Sparrow, Lark,	<i>Chondestes grammacus</i>
92.	Sparrow, Lincoln's,	<i>Melospiza lincolni</i>
93.	Sparrow, Savanna	<i>Ammodramus sandwichensis savanna</i>
94.	Sparrow, Song,	<i>Melospiza fasciata</i>
95.	Sparrow, Swamp,	<i>Melospiza georgiana</i>

96. Sparrow, Tree, *Spizella monticola*
 97. Sparrow, Vesper *Pooecetes gramineus*
 98. Sparrow, White-crowned, *Zonotrichia leucophrys*
 99. Sparrow, White-throated, *Zonotrichia albicollis*
 100. Swallow, Bank, *Clivicola riparia*
 101. Swallow, Barn, *Chelidon erythrogaster*
 102. Swallow, Eave, *Petrochelidon lunifrons*
 103. Swallow, Rough-winged, *Stelgidopteryx serripennis*
 104. Swallow, Tree, *Tachycineta bicolor*
 105. Swift, Chimney, *Chaetura pelagica*
 106. Swan, Trumpeter, *Olor buccinator*
 107. Tanager, Scarlet, *Piranga erythromelas*
 108. Tanager, Summer, *Piranga rubra*
 109. Thrasher, Brown, *Harpornynchus rufus*
 110. Thrush, Gray-cheeked, *Turdus aliciae*
 111. Thrush, Hermit, *Turdus aonalaschkae pallasi*
 112. Thrush, Louisiana Water, *Seinurus motacilla*
 113. Thrush, Olive-backed *Turdus ustulatus swainsonii*
 114. Thrush, Wilson's *Turdus fuscescens*
 115. Thrush, Wood, *Turdus mustelinus*
 116. Titmouse, Tufted *Parus bicolor*
 117. Towhee, *Pipilo erythrophthalmus*
 118. Vireo, Blue-headed, *Vireo solitarius*
 119. Vireo, Red-eyed, *Vireo olivaceus*
 120. Vireo, Warbling, *Vireo gilvus*
 121. Vireo, White-eyed, *Vireo noveboracensis*
 122. Vireo, Yellow-throated, *Vireo flavifrons*
 123. Warbler, Bay-breasted, *Dendroica castanea*
 124. Warbler, Black and White, *Mniotilla varia*
 125. Warbler, Black-burnian, *Dendroica blackburniae*
 126. Warbler, Black-pall, *Dendroica striata*

127. Warbler, Black-throated Blue *Dendroica caerulescens*
 128. Warbler, Black-throated Green, *Dendroica virens*
 129. Warbler, Canadian, *Sylvania canadensis*
 130. Warbler, Cape May, *Dendroica tigrina*
 131. Warbler, Connecticut *Geothlypis agilis*
 132. Warbler, Chestnut-sided, *Dendroica pensylvanica*
 133. Warbler, Golden-winged, *Helminthophila chrysoptera*
 134. Warbler, Kentucky, *Geothlypis formosa*
 135. Warbler, Magnolia, *Dendroica maculosa*
 136. Warbler, Mourning, *Geothlypis philadelphica*
 137. Warbler, Mrytle, *Dendroica coronata*
 138. Warbler, Nashville, *Helminthophila ruficapilla*
 139. Warbler, Orange, *Helminthophila celata*
 140. Warbler, Palm, *Dendroica palmarum*
 141. Warbler, Parula, *Compsothlypis americana*
 142. Warbler, Pine, *Dendroica vigorsii*
 143. Warbler, Prairie, *Dendroica discolor*
 144. Warbler, Sycamore, *Dendroica albilora*
 145. Warbler, Tennessee, *Helminthophila peregrina*
 146. Warbler, Wilson, *Sylvania pusilla*
 147. Warbler, Yellow *Dendroica aestiva*
 148. Whip-poor-will, *Antrostomus vociferus*
 149. Woodpecker, Downy *Dryobates pubescens*
 150. Woodpecker, Hairy, *Dryobates villosus*
 151. Woodpecker, Red-headed, *Melanerpes erythrocephalus*
 152. Wren, Carolina, *Thryothorus ludovicianus*
 153. Wren, House, *Troglodytes aëdon*
 154. Wren, Long-billed Marsh, *Cistothorus palustris*
 155. Wren, Winter, *Troglodytes hiemalis*
 156. Yellowlegs, Lesser, *Totanus flavipes*
 157. Yellowthroat, Maryland, *Geothlypis trichas*

INDEX.

Abbreviations.—n. g., New Genus; n. n., New Name; n. s., New Combination; n. s., New Species; n. v., New Variety; n. m., New Mutant.

Agalinis.....	7	Calcarius.....	48
Greeniei, n. s.....	7	Campanula intercedens var.....	12
Agelena.....	14	Caprifoliaceae.....	11
Amelanchier leptodendron, n. s.....	100	Caprifolium.....	12
Androcera.....	225	glaucescens, n. c.....	12
Angiopteris.....	93	tataricum, n. c.....	12
sensibilis.....	93	Cardiaca.....	1
Antennaria.....	210	Cardinalis.....	155
Aphyllon.....	9	Certhia.....	153
Aragallus.....	211	Chamisme.....	11
Arcion.....	70	ciliolata.....	11
Argiope.....	142	Chamaemelum.....	67
Arnica.....	209	“ Circles Fairy ”.....	230
Aster.....	45	Compositi.....	35
chelonicus, n. s.....	45	Compsothlypis.....	130
clivurum, n. s.....	55	Corvus.....	139
lautus prionoides, n. v.....	55	Cunigunda.....	35
jacobaeus, n. s.....	56	perfoliata, n. c.....	135
paniculatus polychrous.....	55	purpurea, n. c.....	35
Astragalinus.....	153	Cyanocitla.....	139
Astur.....	50	Daluca campestris, n. c.....	234
Atrypa reticularis alta, n. v.....	216	Dakota Plants.....	1, 31, 56, 93
Bermudiana.....	234	Dates of Flowering of Plants.....	71, 98, 113
Bidens vulgata schizantha, n. v.....	65	Dendroica.....	130, 131, 132, 133, 134
Birds.....	14, 46, 52, 88, 139, 150, 178, 206, 225, 242	Doria Species, n. c.....	42, 43, 144
Bivalves.....	65	Douvillina arcuata maxima, n. v.....	215
Blue Rapids, Plants of.....	71, 98, 113, 201	Dryobates.....	151, 155
Book Review.....	209	Elliptio.....	28
Botrys nudata, n. s.....	95	Euthamia.....	157
Brachiopods.....	213	bracteata, n. s.....	172
Branta.....	47	camporum, n. s.....	167
Calamites.....	147	chrysanthemoides.....	172
cruciatus Harrisonii, n. v.....	147	fastigiata, n. s.....	164
Fettermanni, n. s.....	149	graminifolia.....	172
multifoliatus, n. s.....	148	gymnospermoides.....	169, 171, 172
ramosus.....	149	hirtella.....	159
		leptocephala.....	159

INDEX

- media..... 160, 166
occidentalis..... 173
tenuifolia..... 171, 173, 174
Falco..... 154
Flood Plain..... 196
Flora of Manhattan, Kansas, and
 Blue Rapids..... 71, 98, 113, 201
 Colorado..... 209
 Dakota..... 1, 31, 56, 93
Floydia..... 221
Floydia..... 221, 222
 concentrica..... 221
 multisinuata, n. v...... 223
Gastropods..... 213
Geothlypis..... 133
Glaucoides, n. v...... 97
Gonodia, n. n...... 33
 pulvinata, n. c...... 30
Gratiola..... 30
Helianthus nitidus trifoliatus,
 n. v...... 63, 64
Hesperiphona..... 155
Heterothrix..... 224
Hippocastanum, n. v...... 97
Icteria..... 135
Junco..... 151
Kulmites, n. n...... 52
 Fischeri, n. c...... 52
Kuhnia jacobaea, n. s...... 36
Laciniaria..... 36
 fallacior, n. c...... 38
 celosioides, n. v...... 38
 scariosa annuens, n. v...... 40
 composita, n. v...... 40
 crista galli, n. v...... 40
 exuberans, n. v...... 39
 immanis, n. v...... 40
 singularis n. v...... 39
Lapathum..... 235
LeConte..... 30a
 Bibliography of..... 137
 Biography of..... 135
Lentibularia intermedia, n. c...... 9
 vulgaris americana, n. c...... 9
Lepadenia..... 225
Leptostachya..... 9
Lesquerella..... 210, 211
Leucoma..... 225
Lobelia..... 211
 Teratology of..... 231
Lophion..... 238
Manhattan, Plants of..... 71,
 99, 113, 201
Martindale, Isaac C...... 30a
Melanerpes..... 150
Melospiza..... 153
Miranda..... 142
 aurantia..... 142
 Synonymy of..... 143
Mniotilta..... 129
Myriactis..... 30
Naiades..... 27
Naiadogeography..... 26
Naticopsis..... 222
Nephronaias..... 28
Nezera..... 238
Nycterium..... 4, 225
 rostratum..... 4
Obeliscotheca..... 62
 ampla, n. c...... 62
 flava, n. c...... 62
 perbracteata, n. c...... 62
Onoclea, Teratology of..... 231
Oporornis..... 133, 134
Ormenis Cotula..... 6
Ornithology..... 46
Ossea..... 239
Otus..... 155
Oxyacantha..... 237
 Howellii, n. c...... 238
Paneion palustre..... 94
Pennellia, n. n...... 22c
 micrantha, n. c...... 242
Penthestes..... 152
Peritoma serrulatum clavatum,
 n. v...... 236
Petromarula..... 13
 hirtella, n. c...... 13
 strictiflora, n. c...... 13
Physaria..... 211
Physarum..... 230
Phasianus..... 47
Phytosalpinx, n. n...... 2
 americana, n. c...... 2
 aspera, n. c...... 2
 lucida, n. c...... 2

Pilosella.....	34	Sturnella.....	154
umbellata, n. c.....	34	Taenidium.....	
Plants, Collecting of.....	191	Taraxacum minus subscaposum, n. v.....	5
Herborizing.....	191		31
Drying.....	191	Teratology of Plants.....	156, 123
Pressing.....	192	Tessenia, n. n.....	58
Mounting of.....	194	aspera appressa, n. v.....	58
Plectrophenia.....	15v	subintegra, n. c.....	58
Plectrotrinis virescens n. c.....	235	oligodonta acuminata, n. v.....	58
Pleurobema.....	29	roseata, n. v.....	59
Polygonatum commutatum line- amentosum, n. v.....	94	philadelphica acaulescens, n. v.....	59
Pontia vulgaris.....	67	racemosa arcuata, n. v.....	60
Quadrula.....	30	simplicissima, n. v.....	60
Quiscalus.....	154	Species, n. c.....	58, 59, 60
Resinocaulon, n. n.....	62	Tetraith.....	1
perfoliatum, n. c.....	62	Thamnium.....	50
Rotundaria.....	30	Thamnobryum, n. n.....	50
Rudbeckia.....	211	Species, n. c.....	51
Santolina suaveloens.....	67	Thelypodium.....	224
Scrophularia dakotana, n. s.....	240	Toxicodendron, Teratology of.....	156
Seiurus.....	135	Truncilla.....	29
Senecio canus eradiatus, n. v.....	241	Utricularia.....	30a
Setophaga.....	135	Vermivora.....	129, 130
Shells.....	26	Villania, n. n.....	51
Sitta.....	140	Villania, n. n.....	51
Spirifer syrtinaformis Heleneae, n. v.....	216	flava, n. c.....	51
orestes Websteri, n. v.....	217	lobata, n. c.....	52
Whitneyi gradatus, n. m.....	219	turneriana, n. c.....	52
productus, n. m.....	220	Viola.....	30a
rockfordensis, n. v.....	219	Warblers.....	129
Spizella.....	52	Wilsonia.....	134
Stramonia foetida, n. c.....	52	Winteria.....	30
Stramonia foetids, n. c.....	4	Zeia albescens, n. c.....	94
Strophonella reversa gravis, n. v.	214	Zonaria.....	51
Struthiopteris Cordii.....	93	Zornia.....	51



